



### Standard Processing

### Advanced Processing

Starting Copper Weight	Standard Processing		Advanced Processing			
	Etched Layers (Print and Etch)	Plated Layers (1 mil extra Cu Plating)	<i>( <b>No</b> Blind, Burried or Via in Pad )</i>		<i>( <b>With</b> Blind, Burried or Via in Pad )</i>	
			Etched Layers (Print and Etch)	Plated Layers (1 mil extra Cu Plating)	Class 2 (Wrap Cu Plating)	Class 3 (Wrap Cu Plating)
1/4 Ounce (.00035)	N/A	.0035/.0035	.0025/.0025	.003/.003	.004/.004	.00425/.00425
1/2 Ounce (.0007)	.004/.004	.005/.005	.00325/.00325	.00375/.00375	.0045/.0045	.00475/.00475
1 Ounce (.0014)	.005/.005	.0065/.0065	.0045/.0045	.005/.005	.006/.006	.0065/.0065
2 Ounce (.0028)	.008/.008	.010/.010	.007/.007	.008/.008	.009/.009	.0095/.0095

Phone 678-339-0012